



SAFETY DATA SHEET

01. IDENTIFICATION

NAME OF PREPARATION OR SUBSTANCE: Coconut Oil – RBD Organic
SUPPLIER NAME: Africa Imports
SUPPLIER ADDRESS: 240 South Main Street, Unit A
South Hackensack, NJ 07606
TELEPHONE NUMBER: (201)457-1995

02. HAZARD IDENTIFICATION

No known hazardous chemical component.

EMERGENCY OVERVIEW: No specific warnings for normal condition usage.

POTENTIAL HEALTH HAZARDS AND FIRST AID:

EYES :

Foreign materials in the eye may not cause a toxic reaction, but injury from a foreign body may occur. In such cases, the patient should be observed for eye irritation and should seek medical assistance if irritation becomes significant.

SKIN:

Foreign materials spilled on the skin may not represent a toxic or irritation hazard in small quantities, but may produce adverse effects if applied or exposed in large quantities or if used over a significant period of time. Whenever possible, foreign materials should be removed from the skin with simple washing. Should skin irritation or erythema occur, a patient may wish to seek medical assistance.

INHALATION:

None

INGESTION:

Small amounts are not anticipated to be harmful. Even though a substance may be considered non-toxic for the amount ingested or packaged, it should not be considered as non-toxic in any amounts. Even ingestions of various foodstuffs can cause adverse symptoms if large amounts are eaten. The most important fact to remember is to treat the patient not the poison, especially when the diagnosis is unknown. Knowing that the product is listed as non-toxic helps avoid over-treating the



patient or being over-zealous in getting a patient to professional medical care. If there is a question of simultaneous ingestion of a product, which may be more dangerous, the management of the more toxic agent should be consulted.

03. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT NAME:

RBD Coconut Oil

PRODUCT DESCRIPTION:

Light yellow liquid, viscous oil with pleasant fatty odor.

PRODUCT USAGE:

Food and dietary supplement, shortening, salad dressing, margarine, soaps and cosmetics, rubber softeners, paints, pesticide carriers, oleochemicals.

04. FIRST AID MEASURES

No information available

05. FIRE FIGHTING MEASURES

FLASH POINT:

160 degrees Centigrade (Celsius) Direct ignition

EXTUINGUISHING MEDIA:

Foam, Dry chemicals or Carbon Dioxide. Water not found to be effective and should be avoided.

EXTUINGUISHING APPROACH:

Sectional extinguishing or by isolation found to be absolutely effective

UNUSUAL FIRE AND EXPLOSION HAZARD:

No unusual fire incidents known so far. Possibility of a less hazardous explosion may result if filled drums are subsequently dropped from a considerable height but may not necessarily result to fire unless directly ignited. For bulk packaging such as metal lorry tanks, Isotank and or Flexitank, direct physical impact may not result to explosion and or fire unless directly ignited.

06. ACCIDENTAL RELEASE MEASURES

SPILLAGE:

Use sawdust or any absorbent material to contain spillage.



07. HANDLING & STORAGE

STORAGE:	Store in a cool dry location in a sealed container. Avoid prolonged exposure to direct sunlight or sudden changes in climate or temperature to prevent induced oxidation in order to preserve quality.
HANDLING:	Do not drop drums when unloading, minor explosions of caps may result to accidental spillage or physical harm to individuals within the vicinity. Bulk lifting equipment recommended for safe unloading.
OTHER PRECAUTIONS:	In-house storage preferable to ensure preservation of quality. Dispose empty drums properly. Wash oil stains with detergent when necessary.

08. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE CLOTHING AND GADGETS:	Use non-slip oil resistant gloves when handling. Protective eye wear recommended.
----------------------------------	---

09. PHYSICAL & CHEMICAL PROPERTIES

MOISTURE AND IMPURITIES, MAXIMUM:	0.1%
FREE FATTY ACID, MAXIMUM (OLEIC):	0.1%
MAXIMUM (LAURIC):	0.07%
COLOR (5-1/4" LOVIBOND COLUMN), MAX:	1.5 Red, 8.0 Yellow
SAPONIFICATION VALUE:	250-265
IODINE VALUE:	7.5-10.5
PEROXIDE VALUE:	0.50 ppm maximum at loading.
TASTE:	Bland
ODOR:	Odorless
SPECIFIC GRAVITY AT 15.5 C:	0.917 - 0.919
REFRACTIVE INDEX AT 40OC:	1.448 - 1.450
SAPONIFICATION NUMBER:	250 – 264 mg KOH/g
UNSAAPONIFIABLE MATTER:	<0.5%
TITER:	20 – 24 C
SETTING POINT:	21.8 – 23 C
FLASH POINT:	160° Celcius (direct ignition).
SOLUBILITY IN WATER:	Non soluble in water.

10. STABILITY & REACTIVITY

No information available



11. TOXICOLOGICAL INFORMATION

No information available

12. ECOLOGICAL INFORMATION

No information available

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

May be recycled as secondary (light) lubricant or soap ingredient or simply dispose in regular waste absorbent material used is organic, soaked material may be used as ingredient or component in the production of organic fertilizers. Prevent spilled oil from flowing into rivers, lakes or similar bodies of water. Excessive amount of oil may be harmful to living organisms found in water streams.

14. TRANSPORT INFORMATION

No information available

15. REGULATORY INFORMATION

No information available

16. OTHER INFORMATION

None available

Africa Imports provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This Material Safety Data Sheet summarizes our best current knowledge of the health and safety hazard information of the product. This document is thus, intended only as a guide to the appropriate precautionary handling of the material by properly trained personnel using this product. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the product.

Use of this material is subject to Africa Imports standard terms and conditions, which supersede any conflicting terms contained on Buyer's purchase order or any document or instrument supplied by Buyer. The User of this product must perform its own due diligence in testing the material prior to use to make sure it meets their quality requirements. Africa Imports excludes implied warranties of merchantability and of fitness for a particular purpose. Africa Imports liability is limited to the cost of the raw material and under no circumstances shall Africa Imports be liable for any special, incidental, indirect, consequential or punitive damage, loss, or expense.