Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Wild Berry

1.2. Recommended use and restrictions on use

No additional information available

1.3.

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300 (ACCT# CCN725182)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids, Category 3 Flammable liquid and vapour.

Acute toxicity (inhalation:dust,mist) Category 4 Harmful if inhaled.

Skin sensitisation, Category 1 May cause an allergic skin reaction.

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable liquid and vapour.

May cause an allergic skin reaction.

Harmful if inhaled.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center or doctor if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

05/22/2020 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
DPG / Dipropylene Glycol	(CAS-No.) 25265-71-8	40 – 60	Acute Tox. 4 (Inhalation:dust,mist), H332
Raspberry Ketone	(CAS-No.) 5471-51-2	5 - 10	Acute Tox. 4 (Oral), H302
Ethyl Maltol	(CAS-No.) 4940-11-8	1 - 5	Acute Tox. 4 (Oral), H302
Benzyl Alcohol	(CAS-No.) 100-51-6	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332
Linalool	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Benzaldehyde	(CAS-No.) 100-52-7	0.1 - 1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Aquatic Acute 3, H402
D-Limonene	(CAS-No.) 5989-27-5	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or

rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapour.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

05/22/2020 EN (English) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : 0

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

Mild Dawn

: Store in a well-ventilated place. Keep cool. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Wild Berry	
No additional information available	
Benzaldehyde (100-52-7)	
No additional information available	
Benzyl Alcohol (100-51-6)	
No additional information available	
D-Limonene (5989-27-5)	
No additional information available	
Ethyl Maltol (4940-11-8)	
No additional information available	
Linalool (78-70-6)	
No additional information available	

Raspberry Ketone (5471-51-2)

No additional information available

DPG / Dipropylene Glycol (25265-71-8)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

05/22/2020 EN (English) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Mixture contains one or more component(s) which have the following colour(s):

Colourless to light yellow Light yellow to colourless On exposure to air: yellow-brown

Colourless White to light yellow White Light yellow

Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Pleasant odour Floral odour Almond odour Fruity odour Aromatic odour Mild odour Sweet

odour Lemon odour Almost odourless Alcohol odour

Odour threshold: No data availablepH: No data availableMelting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : ≈ 170

No data available Relative evaporation rate (butylacetate=1) Flammability (solid, gas) Not applicable. : No data available Vapour pressure Relative vapour density at 20 °C No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature : No data available Decomposition temperature No data available : No data available Viscosity, kinematic

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

9.2. Other information

No additional information available

05/22/2020 EN (English) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Harmful if inhaled.

Acute toxicity (illinatation)	. Hamilu ii lillialeu.
ATE US (dust,mist)	3.239 mg/l/4h
Benzaldehyde (100-52-7)	
LD50 oral rat	1300 mg/kg (Rat)
LD50 dermal rat	> 1250 mg/kg (Rat)
LD50 dermal rabbit	5000 mg/kg (Rabbit)
ATE US (oral)	1300 mg/kg bodyweight
ATE US (dermal)	1100 mg/kg bodyweight
Benzyl Alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg bw/day (Rat, Male, Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Inconclusive, insufficient data)
LC50 inhalation rat (mg/l)	> 4.178 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value)
ATE US (oral)	500 mg/kg bodyweight
ATE US (dust,mist)	1.5 mg/l/4h
D-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
Ethyl Maltol (4940-11-8)	
LD50 oral rat	1150 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1150 mg/kg bodyweight
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value)
ATE US (oral)	2790 mg/kg bodyweight
ATE US (dermal)	5610 mg/kg bodyweight
Raspberry Ketone (5471-51-2)	
LD50 oral rat	1320 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1320 mg/kg bodyweight

05/22/2020 EN (English) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DPG / Dipropylene Glycol (25265-71-	3)
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rabbit	> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male/female, Experimental value)
LC50 inhalation rat (mg/l)	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male/female, Experimental value)
ATE US (vapours)	2.34 mg/l/4h
ATE US (dust,mist)	2.34 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
D-Limonene (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1.	Toxicity	
12.1.	LOXICILV	

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse
	effects in the environment.

	effects in the environment.
Benzaldehyde (100-52-7)	
LC50 fish 1	11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)
EC50 Daphnia 1	50 mg/l (24 h, Daphnia magna)
Benzyl Alcohol (100-51-6)	
LC50 fish 1	460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value)
ErC50 (algae)	770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)
D-Limonene (5989-27-5)	
LC50 fish 1	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value)

05/22/2020 EN (English) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DPG / Dipropylene Glycol (25265-71-8)	
LC50 other aquatic organisms 1	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)

12.2. Persistence and degradability

Benzaldehyde (100-52-7)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	1.62 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.98 g O ₂ /g substance		
ThOD	2.42 g O ₂ /g substance		
BOD (% of ThOD)	0.67		
Benzyl Alcohol (100-51-6)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	1.6 g O₂/g substance		
Chemical oxygen demand (COD)	2.4 g O ₂ /g substance		
ThOD	2.5 g O₂/g substance		
D-Limonene (5989-27-5)	D-Limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.		
ThOD	3.29 g O₂/g substance		
Ethyl Maltol (4940-11-8)			
Persistence and degradability	Biodegradability in water: no data available.		
Linalool (78-70-6)			
Persistence and degradability	Readily biodegradable in water.		
Raspberry Ketone (5471-51-2)			
Persistence and degradability	Biodegradability in water: no data available.		
DPG / Dipropylene Glycol (25265-71-8)			
Persistence and degradability	Readily biodegradable in water.		

12.3. Bioaccumulative potential

Benzaldehyde (100-52-7)		
BCF other aquatic organisms 1	4.2 – 7.8 (Estimated value)	
Partition coefficient n-octanol/water (Log Pow)	1.48 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Benzyl Alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1 – 1.1 (Experimental value, Other, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
D-Limonene (5989-27-5)		
BCF fish 1	864.8 – 1022 (Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	
Ethyl Maltol (4940-11-8)		
Bioaccumulative potential	No bioaccumulation data available.	
Linalool (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Raspberry Ketone (5471-51-2)		
Bioaccumulative potential	No bioaccumulation data available.	
DPG / Dipropylene Glycol (25265-71-8)		
Bioaccumulative potential	Bioaccumulation: not applicable.	

12.4. Mobility in soil

Benzaldehyde (100-52-7)	
Surface tension	0.04 N/m (20 °C)

05/22/2020 EN (English) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl Alcohol (100-51-6)		
Surface tension	39 mN/m (20 °C)	
Ecology - soil	No (test)data on mobility of the substance available.	
D-Limonene (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	
Linalool (78-70-6)		
Surface tension	8.3 mN/m (20 °C)	
Ecology - soil	No (test)data on mobility of the substance available.	
DPG / Dipropylene Glycol (25265-71-8)		
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)	
Partition coefficient n-octanol/water (Log Koc)	0.78 (log Koc, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Benzaldehyde (100-52-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Benzyl Alcohol (100-51-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
D-Limonene (5989-27-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Ethyl Maltol (4940-11-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Linalool (78-70-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Raspberry Ketone (5471-51-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
DPG / Dipropylene Glycol (25265-71-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

Benzaldehyde (100-52-7)	
Listed on the Canadian DSL (Domestic Substances List)	

05/22/2020 EN (English) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl Alcohol (100-51-6)
Listed on the Canadian DSL (Domestic Substances List)
D-Limonene (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
Ethyl Maltol (4940-11-8)
Listed on the Canadian DSL (Domestic Substances List)
Linalool (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
Raspberry Ketone (5471-51-2)
Listed on the Canadian DSL (Domestic Substances List)
DPG / Dipropylene Glycol (25265-71-8)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

National regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
Benzaldehyde(100-52-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Benzyl Alcohol(100-51-6)	U.S Pennsylvania - RTK (Right to Know) List
DPG / Dipropylene Glycol(25265-71-8)	U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

05/22/2020 EN (English) 9/9