Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Vanilla

1.2. Recommended use and restrictions on use

No additional information available

1.3.

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300 (ACCT# CCN725182)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids, Category 4
Acute toxicity (inhalation:dust,mist) Category 4
Serious eye damage/eye irritation, Category 2
Skin sensitisation, Category 1

Combustible liquid Harmful if inhaled. Causes serious eye irritation.

May cause an allergic skin reaction.

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : Combustible liquid

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

EN (English) 1/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Call a poison center or doctor if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
DPG / Dipropylene Glycol	CAS-No.: 25265-71-8	50-80	Acute Tox. 4 (Inhalation:dust,mist), H332
Vanillin	CAS-No.: 121-33-5	10-30	Eye Irrit. 2, H319
Coumarin	CAS-No.: 91-64-5	10-30	Acute Tox. 4 (Oral), H302 Aquatic Acute 3, H402
Ethyl Vanillin	CAS-No.: 121-32-4	1-5	Eye Irrit. 2, H319
Heliotropine	CAS-No.: 120-57-0	1-5	Skin Sens. 1B, H317
Anisic Aldehyde	CAS-No.: 123-11-5	1-5	Acute Tox. 4 (Oral), H302 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor

if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

EN (English) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid

breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

EN (English) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Vanilla

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Mixture contains one or more component(s) which have the following colour(s):

White to light yellow On exposure to light: discolours Colourless to white White to off-white On exposure to light: turns yellow On exposure to air: turns yellow White Colourless Turns yellow

Colourless to light yellow

Odour : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Pleasant odour Characteristic odour Floral odour Sweet odour Fruity odour Strong odour Almost

odourless Alcohol odour

Odour threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Boiling point : No data available

Flash point : No data available Relative evaporation rate (butylacetate=1) : No data available

Flammability (solid, gas) : Not applicable.

EN (English) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature No data available No data available Decomposition temperature No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive limits** No data available Explosive properties No data available Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

Vanilla		
ATE US (dust,mist)	3.817 mg/l/4h	
Vanillin (121-33-5)		
LD50 oral rat	3300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	

EN (English) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vanillin (121-33-5)	
ATE US (oral)	3300 mg/kg bodyweight
Coumarin (91-64-5)	
LD50 oral rat	300 – 900 mg/kg (Rat)
ATE US (oral)	300 mg/kg bodyweight
Ethyl Vanillin (121-32-4)	·
LD50 oral rat	> 3160 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
Anisic Aldehyde (123-11-5)	·
LD50 oral rat	1510 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1510 mg/kg bodyweight
DPG / Dipropylene Glycol (25265-71	-8)
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rabbit	> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male/female, Experimental value)
LC50 Inhalation - Rat	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male/female, Experimental value)
ATE US (vapours)	2.34 mg/l/4h
ATE US (dust,mist)	2.34 mg/l/4h
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified
Coumarin (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity STOT-single exposure STOT-repeated exposure	: Not classified : Not classified : Not classified
Aspiration hazard Viscosity, kinematic	: Not classified: No data available

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Vanillin (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)

EN (English) 6/10

Safety Data Sheet

Anisic Aldehyde (123-11-5)
Persistence and degradability

Persistence and degradability

DPG / Dipropylene Glycol (25265-71-8)

Vanillin (121-33-5)	
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Coumarin (91-64-5)	
LC50 - Fish [1]	56 mg/l (96 h, Poecilia reticulata)
EC50 - Crustacea [1]	13.5 mg/l (48 h, Daphnia magna)
Ethyl Vanillin (121-32-4)	
LC50 - Fish [1]	87.6 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP)
Anisic Aldehyde (123-11-5)	·
LC50 - Fish [1]	220 mg/l (96 h, Leuciscus idus)
EC50 - Crustacea [1]	83 mg/l (48 h, Daphnia magna)
DPG / Dipropylene Glycol (25265-71-8	3)
LC50 - Other aquatic organisms [1]	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)
12.2. Persistence and degradability	
Vanillin (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
Coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable in water.
Ethyl Vanillin (121-32-4)	
Persistence and degradability	Readily biodegradable in water.
ThOD	1.81 g O₂/g substance
BOD (% of ThOD)	0.529 (5 day(s), Literature study)
Heliotropine (120-57-0)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
ThOD	1.71 g O₂/g substance

Readily biodegradable in water.

Readily biodegradable in water.

EN (English) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Coumarin (91-64-5)	·	
BCF - Fish [1]	< 10 (72 h, Leuciscus idus)	
BCF - Other aquatic organisms [1]	42 (24 h, Chlorella sp., Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	1.39	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Ethyl Vanillin (121-32-4)	·	
Partition coefficient n-octanol/water (Log Pow)	1.58 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Anisic Aldehyde (123-11-5)		
Partition coefficient n-octanol/water (Log Pow)	1.5	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
DPG / Dipropylene Glycol (25265-71-8)		
Bioaccumulative potential	Bioaccumulation: not applicable.	

12.4. Mobility in soil

Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Koc)	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
Ethyl Vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Koc)	3.092 (log Koc, Equivalent or similar to OECD 106, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
DPG / Dipropylene Glycol (25265-71-8)		
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)	
Partition coefficient n-octanol/water (Log Koc)	0.78 (log Koc, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	

12.5. Other adverse effects

No additional information available

EN (English) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

International Inventories:

TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

California Proposition 65

This product does not contain any Proposition 65 chemicals.

EN (English) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

Component	State or local regulations
DPG / Dipropylene Glycol(25265-71-8)	U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet (SDS), USA

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

EN (English) 10/10