

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision date: 3/20/2023

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Dragonfruit Tropics

1.2. Recommended use and restrictions on use

No additional information available

1.3.

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300 (ACCT# CCN725182)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids, Category 4
Skin sensitisation, Category 1

Combustible liquid
May cause an allergic skin reaction.

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

Combustible liquid
May cause an allergic skin reaction.

Precautionary statements (GHS US) :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water.
Specific treatment (see supplemental first aid instruction on this label).
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use media other than water to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
DPG	CAS-No.: 25265-71-8	10-30	Acute Tox. 4 (Inhalation:dust,mist), H332
Linalool	CAS-No.: 78-70-6	10-30	Flam. Liq. 4, H227 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Lilial	CAS-No.: 80-54-6	1-5	Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401
Coumarin	CAS-No.: 91-64-5	1-5	Acute Tox. 4 (Oral), H302 Aquatic Acute 3, H402
Citral	CAS-No.: 5392-40-5	1-5	Flam. Liq. 4, H227 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexyl Cinnamic Aldehyde	CAS-No.: 101-86-0	1-5	Skin Sens. 1, H317
Geranyl Acetate Pure	CAS-No.: 105-87-3	0.1-1	Skin Irrit. 2, H315 Skin Sens. 1, H317
Lylal	CAS-No.: 31906-04-4	0.1-1	Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:
Get medical advice/attention.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dragonfruit Tropics	
No additional information available	
Coumarin (91-64-5)	
No additional information available	
Citral (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH OEL TWA [ppm]	5 ppm (Inhalable fraction and vapor)
Remark (ACGIH)	Body weight eff; URT irr; eye dam; Skin; DSEN; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories)
Regulatory reference	ACGIH 2018
Linalool (78-70-6)	
No additional information available	
Geranyl Acetate Pure (105-87-3)	
No additional information available	
Hexyl Cinnamic Aldehyde (101-86-0)	
No additional information available	
Lilial (80-54-6)	
No additional information available	
Lyral (31906-04-4)	
No additional information available	
DPG (25265-71-8)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves
Eye protection:
Safety glasses

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Mixture contains one or more component(s) which have the following colour(s): Colourless to light yellow Colourless Light yellow to colourless Colourless to white Light yellow Yellow
Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Fruity odour Floral odour Pleasant odour Lemon odour Strong odour Pineapple odour Sweet odour Characteristic odour Almost odourless Alcohol odour
Odour threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 146 °F
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Coumarin (91-64-5)

LD50 oral rat	300 – 900 mg/kg (Rat)
ATE US (oral)	300 mg/kg bodyweight

Citral (5392-40-5)

LD50 oral rat	4960 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)
LD50 dermal rabbit	2250 mg/kg (Rabbit, Dermal)
ATE US (oral)	4960 mg/kg bodyweight
ATE US (dermal)	2250 mg/kg bodyweight

Linalool (78-70-6)

LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value)
ATE US (oral)	2790 mg/kg bodyweight
ATE US (dermal)	5610 mg/kg bodyweight

Geranyl Acetate Pure (105-87-3)

LD50 oral rat	6300 mg/kg (Rat, Oral)
ATE US (oral)	6300 mg/kg bodyweight

Hexyl Cinnamic Aldehyde (101-86-0)

LD50 oral rat	3100 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
---------------	--

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hexyl Cinnamic Aldehyde (101-86-0)	
LD50 dermal rabbit	> 3000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Experimental value, Dermal, 7 day(s))
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
ATE US (oral)	3100 mg/kg bodyweight
Lilial (80-54-6)	
LD50 oral rat	1390 mg/kg (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1390 mg/kg bodyweight
DPG (25265-71-8)	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value)
LD50 dermal rabbit	> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male/female, Experimental value)
LC50 Inhalation - Rat	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male/female, Experimental value)
ATE US (vapours)	2.34 mg/l/4h
ATE US (dust,mist)	2.34 mg/l/4h
Skin corrosion/irritation	: Not classified
Citral (5392-40-5)	
pH	< 5
Lilial (80-54-6)	
pH	7
DPG (25265-71-8)	
pH	7 – 8 (5 %)
Serious eye damage/irritation	: Not classified
Citral (5392-40-5)	
pH	< 5
Lilial (80-54-6)	
pH	7
DPG (25265-71-8)	
pH	7 – 8 (5 %)
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Coumarin (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

Geranyl Acetate Pure (105-87-3)	
Viscosity, kinematic	2.71 mm ² /s (20 °C, OECD 114: Viscosity of Liquids)
Hexyl Cinnamic Aldehyde (101-86-0)	
Viscosity, kinematic	12.565 mm ² /s
Lilial (80-54-6)	
Viscosity, kinematic	3.171 mm ² /s
DPG (25265-71-8)	
Viscosity, kinematic	118 mm ² /s (20 °C)
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Coumarin (91-64-5)	
LC50 - Fish [1]	56 mg/l (96 h, <i>Poecilia reticulata</i>)
EC50 - Crustacea [1]	13.5 mg/l (48 h, <i>Daphnia magna</i>)
Citral (5392-40-5)	
LC50 - Fish [1]	4.6 – 10 mg/l (96 h, <i>Leuciscus idus</i> , Literature study)
EC50 - Crustacea [1]	7 mg/l (48 h, <i>Daphnia magna</i> , Literature study)
EC50 72h - Algae [1]	16 mg/l (<i>Scenedesmus subspicatus</i> , Literature study, Biomass)
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Oncorhynchus mykiss</i> , Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	59 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, <i>Desmodesmus subspicatus</i> , Static system, Fresh water, Experimental value)
Geranyl Acetate Pure (105-87-3)	
LC50 - Fish [1]	68.12 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, <i>Leuciscus idus</i> , Static system, Fresh water, Read-across)
EC50 - Crustacea [1]	14.1 mg/l (EU Method C.2, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	3.72 mg/l (OECD 201: Alga, Growth Inhibition Test, <i>Desmodesmus subspicatus</i> , Static system, Fresh water, Experimental value, GLP)

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hexyl Cinnamic Aldehyde (101-86-0)	
LC50 - Fish [1]	1.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Other isomer)
EC50 - Crustacea [1]	0.36 – 0.59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value, Other isomer)
Lilial (80-54-6)	
LC50 - Fish [1]	2.04 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	10.7 mg/l (Other, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	29.155 mg/l (DIN 38412-9, Desmodesmus subspicatus, Static system, Fresh water, Experimental value)
DPG (25265-71-8)	
LC50 - Other aquatic organisms [1]	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Fresh water, Experimental value)

12.2. Persistence and degradability

Coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable in water.
Citral (5392-40-5)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.556 g O ₂ /g substance
Chemical oxygen demand (COD)	1.99 g O ₂ /g substance
ThOD	2.84 g O ₂ /g substance
Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
Geranyl Acetate Pure (105-87-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.6 g O ₂ /g substance
Hexyl Cinnamic Aldehyde (101-86-0)	
Persistence and degradability	Readily biodegradable in water.
Lilial (80-54-6)	
Persistence and degradability	Readily biodegradable in water.
DPG (25265-71-8)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

Coumarin (91-64-5)	
BCF - Fish [1]	< 10 (72 h, Leuciscus idus)

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Coumarin (91-64-5)	
BCF - Other aquatic organisms [1]	42 (24 h, Chlorella sp., Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	1.39
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Citral (5392-40-5)	
BCF - Other aquatic organisms [1]	250 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	2.76 – 3.45 (Estimated value)
Bioaccumulative potential	Bioaccumable.
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Geranyl Acetate Pure (105-87-3)	
BCF - Other aquatic organisms [1]	1500 (Estimated value)
Partition coefficient n-octanol/water (Log Pow)	4.04 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$).
Hexyl Cinnamic Aldehyde (101-86-0)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
Lilial (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	4.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \geq \text{Log Kow} \leq 5$).
DPG (25265-71-8)	
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
Linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C)
Ecology - soil	No (test)data on mobility of the substance available.
Geranyl Acetate Pure (105-87-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.06 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
Hexyl Cinnamic Aldehyde (101-86-0)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
Ecology - soil	Low potential for mobility in soil.

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lilial (80-54-6)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.11 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil.
DPG (25265-71-8)	
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.78 (log Koc, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT
Transport hazard class(es) (DOT) : Not applicable

TDG
Transport hazard class(es) (TDG) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Coumarin	91-64-5	Present	Active	
Citral	5392-40-5	Present	Active	
Linalool	78-70-6	Present	Active	
Geranyl Acetate Pure	105-87-3	Present	Active	
Hexyl Cinnamic Aldehyde	101-86-0	Present	Active	
Lilial	80-54-6	Present	Active	
Lylal	31906-04-4	Present	Active	
DPG	25265-71-8	Present	Active	

15.2. International regulations

CANADA

Coumarin (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

Citral (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

Dragonfruit Tropics

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Geranyl Acetate Pure (105-87-3)

Listed on the Canadian DSL (Domestic Substances List)

Hexyl Cinnamic Aldehyde (101-86-0)

Listed on the Canadian DSL (Domestic Substances List)

Lilial (80-54-6)

Listed on the Canadian DSL (Domestic Substances List)

Lyral (31906-04-4)

Listed on the Canadian DSL (Domestic Substances List)

DPG (25265-71-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Linalool (78-70-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Geranyl Acetate Pure (105-87-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

DPG (25265-71-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

Component	State or local regulations
DPG(25265-71-8)	U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 3/20/2023

Safety Data Sheet (SDS), USA

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.